





QTY:	Part #.	PL-PRSE			
QII.	Finish	#8 polished or #4 brushed			
	Material	304 or 316 stainless steel			
PROPRIETARY AND CONFIDENTIAL		Description:		REV	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PRL Gloss Systems. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF	A	2" diameter END POST with rounded glass clamps and saddle			
PRL Glass Systems IS PROHIBITED.	DWG I	NO. Flex Post	SHEET 1 C	)F 6	










REV


QTY:			Part #.	PL-PRSL	
	QII.		Finish	#8 polished or #4 brushed	
		Material	304 OR 316 Stainless steel		
	PROPRIETARY AND CONFIDENTIAL		SIZE	Description:	
THE INFORMATION CONTAINED IN THIS		I CONTAINED IN THIS	_	011 11 1 00 DEODEE DOOT	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PRI Glass Systems. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PRI Glass Systems IS PROHIBITED.


2" diameter 90 DEGREE POST with rounded glass clamps and saddle

SHEET 2 OF 6 DWG NO. Flex Post













QTY:	Part #. F	PL-PRS180				
QII.	Finish #	#8 polished or #4 brushed				
	Material 3	304 OR 316 Stainless steel				
PROPRIETARY AND CONFIDENTIAL	SIZE	Description:		REV		
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DEAWING IS THE SOLE PROPERTY OF PEL Closs Systems. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PEL Closs Systems is		2" diameter 180 DEGREE POST with rounded glass clamps and saddle				
PRL Glass Systems IS PROHIBITED.	DWG NO	O. Flex Post SHE	IEET 3 OI	F 6		









QTY:	Part #.	PL-PRS135				
QII.	Finish	#8 polished or #4 brushed				
	Material	304 or 316 stainless steel				
PROPRIETARY AND CONFIDENTIAL	SIZE	Description:				
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PRL Glass Systems. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF	A	2" diameter 135 DEGREE POST with rounded glass clamps and saddle				
PRL Glass Systems IS PROHIBITED.	DWG N	D. Flex Post	SHEET 4 O	)F 6		

